Configuration Name:
INSTRUCTIONS Summary Sheet of Proposed Configuration
Instructions – Authors with Assistance of Facilitator Complete <i>FORM 1</i> for Each Proposed Configuration. Bold items required. For all of the forms with the Instructions of "Authors with Assistance of Facilitator Complete" should be completed at the Workshop. The form can be filled in by the Authors or filled in by the Facilitator based on the information provided by the Authors, whichever the Authors prefer. If filled in by the Authors, the Facilitator will review for legibility, understandability, and completeness. If filled in by the Facilitators, Authors should review for accurate representation of their Configuration.
Configuration Name:Performance
Assist Authors of Proposed Configuration with Establishing a Unique and Descriptive Name of the Proposed Configuration. This Name will be used for all future presentations and documentation to describe that Proposed Configuration
Authors of Configuration: _Tom Van Lent, Paul Gray, Mark Oncavage, Cynthia Plockelman, Maggy Hurchalla, Joanne Davis, Lisa Interlandi, Jennifer Nelson, Karl Wickstrom
List the Name of Every Individual that created and contributed to this Configuration during the exercise
Spokesperson Name and Contact Info: _Tom Van Lent 305/251-0001x230
The Authors need to select a Spokesperson for the Configuration who will

The Authors need to select a Spokesperson for the Configuration who will present the Configuration at the second day of the Workshop and who will be the point of contact for the Facilitator during the Evaluation phase. Need name, email address, and phone number.

racilitator name and Contact inio.	Susan Gray, xoo ro, David Onsell,
x6888	

Name, email address, and phone number of District Facilitator who will be the point of contact with the Spokesperson and the Evaluation Team.

FORM 1 Configuration Name:	
Configuration's General Description: _Pe 1,400,000 ac-ft. 200,000 ac-ft North of Lake 34,000 acres of additional STAs south of La FRESP north of lake, but no specific acreage	e, 1,200,000 ac-ft south of Lake. ke. Include implementation of
This description should be able to convey general location of this configuration. This slide in a WRAC or Governing Board information would be north of south of lake partially on USSC lands.	nk of this description as a one page presentation. The general location
List Percentage of any Performance Meas RESOPs to be Achieved by Proposed Conf	
PM / I:Lake Okeechobee High Stage	Percentage: 85%
PM / I: _Reduction of damaging flows to estuaries	Percentage:
PM / I: _Everglades dry season deliveries	Percentage: _90 % or
better PM / I: PM / I:	
Additional PM / I Information: Siting of north ability to intercept Kissimmee River flows. Clake: availability of lands, costs, engineering Noted that any volume above 450,000 ac-ft estuaries and everglades.	concerns about siting features north of g, size of parcels, willing sellers. did not provide additional benefits to
South of lake: looking approximately 100,00 additional 34,000 acres for STAs. Concern	

FORM 1 Configuration Name:
centered on US 27/SR80 crossing and mill locations and would avoid all populated areas. Perceived options for storage location: 1) between NNR and Miami Canal; 2) straddling Miami Canal; 3) west side of Miami Canal. Use Talisman property for STAIf constraints were relaxed (estuaries 90%, lake 80%, everglades 85%) what are reductions in benefits (lay terms) and costs
Complete only if the Authors have a specific PM / I that they want to make certain is met by this configuration. An Example – LO - Below Stage Envelope performance of 50% or better. Use the list of PM / I in the Facilitator's Packet as needed. Also, if specific questions or need clarifications, flag down Calledon Neidrauer and Walter Wilcox. If nothing provided, the Proposed Configuration will be evaluated to optimize all PM /I as best as possible.
Anticipated Benefits of Proposed Configuration Not Evaluated by RESOPs (examples – ecologic or economic benefits): _FRESP. How or if water supply to coastal wellfields is affected if 100,000 acres of sugar cane is removed from production. Is flood protection of local communities or adjacent agriculture affected.
List any additional benefits anticipated from the Proposed Configuration by the Authors that RESOPs can not evaluate (Benefits not listed as a PM / I). These benefits may be ecological, economical, etc.
Proposed Configuration Estimated Cost in 2009 Dollars (unless otherwise specified, includes real estate, ecological remediation, design, construction, engineering during construction, construction management, and contingency costs):

FORM 1 Configuration Name:
If they have a cost estimate, please ask them to provide. If the cost estimate obtained during the evaluation phase is significantly different, we can contact the Spokesperson and attempt to clarify. Verify if the estimate provided includes a of the items listed about. If not, list which items the estimate does include. It they do not have an estimate, that is okay.
Overall Operational Assumptions for RESOPs to be Utilized During Evaluation of Configuration: Pumps where needed. Conveyance and storage facilities that do not impact flood protection or water supply. Maintain minimum flows to estuaries
,
List anything specifically the Authors want relative to the operation of the configuration not listed elsewhere on FORM 1. Examples might be a specific Lake Okeechobee Regulation Schedule, specific high and low levels for Lake Okeechobee, only gravity flow from Lake Okeechobee, the ability or no ability to divert water from Lake Okeechobee to the north, storage component can never go dry, only a specified flow target for the Everglades, STAs can go dry or must always have water, no harmful discharges to estuaries, etc. Specifying any of these types of conditions may limit the benefits the configuration would achieve based on RESOPs instead of RESOPs optimizing the operating parameters as best as possible.
Key Elements Not Mentioned Elsewhere:

FORM 1			
Configuration Name:	 		

List the main aspects that are the biggest concern to the Authors that have not been mentioned elsewhere on this FORM 1. Examples might be gravity flow from Lake Okeechobee, no storage over 4 feet deep, a shallow flowway that conveys and treats water, all construction located west of the Miami Canal, no deep storage, no ASRs, etc. These items you might pick up during the course of the 2-day Workshop.

Summary Sheet of Components For Proposed Configuration

Instructions – Authors with Assistance of Facilitator Complete FORM 2 for Each Proposed Configuration. **Bold items required.**It may be easier to complete this form after the Authors have drawn an initial.

Configuration Name (from FORM 1): Performance Provide Name and Circle Primary Function(s) of Each Component of Proposed Configuration (a component can have more than one primary function): 1. North Reservoir, Indian Prairie, 200K ac-ft 2. South Reservoir, 1.2M ac-ft 3. Talisman STA, 34K acres Treatment 4. Storage / Treatment / Conveyance 5. Storage / Treatment / Conveyance 6. Storage / Treatment / Conveyance 7. Storage / Treatment / Conveyance 8. Storage / Treatment / Conveyance 9. Storage / Treatment / Conveyance 10. Storage / Treatment / Conveyance 11. Storage / Treatment / Conveyance 12. Storage / Treatment / Conveyance 13. Storage / Treatment / Conveyance 14. Storage / Treatment / Conveyance 15. Storage / Treatment / Conveyance 16. Storage / Treatment / Conveyance 17. Storage / Treatment / Conveyance 18. Storage / Treatment / Conveyance 19. Storage / Treatment / Conveyance 10. Storage / Treatment / Conveyance 11. Storage / Treatment / Conveyance 12. Storage / Treatment / Conveyance 13. Storage / Treatment / Conveyance 14. Storage / Treatment / Conveyance 15. Storage / Treatment / Conveyance 16. Storage / Treatment / Conveyance 17. Storage / Treatment / Conveyance 18. Storage / Treatment / Conveyance 19. Storage / Treatment / Conveyance 10. Storage / Treatment / Conveyance 11. Storage / Treatment / Conveyance 12. Storage / Treatment / Conveyance 13. Talisman STA, 34K acres 14. Storage / Treatment / Conveyance 15. Storage / Treatment / Conveyance 16. Storage / Treatment / Conveyance 17. Storage / Treatment / Conveyance 18. Storage / Treatment / Conveyance 19. Storage / Treatment / Conveyance 19. Storage / Treatment / Conveyance 19. Storage / Treatment / Conveyance 10. Storage / Treatment / Conveyance 11. Storage / Treatment / Conveyance 12. Storage / Treatment / Conveyance 13. Storage / Treatment / Conveyance 14. Storage / Treatment / Conveyance 15. Storage / Treatment / Conveyance 16. Storage / Treatment / Conveyance 17. Storage / Treatment / Conveyance 18. Storage / Treatment / Conveyance 19. Storage / T	configuration on a map.	
Proposed Configuration (a component can have more than one primary function): 1. North Reservoir, Indian Prairie, 200K ac-ft		
2. South Reservoir, 1.2M ac-ft		
3. Talisman STA, 34K acres		
4Storage / Treatment / Conveyance 5Storage / Treatment / Conveyance 6Storage / Treatment / Conveyance 7Storage / Treatment / Conveyance 8Storage / Treatment / Conveyance 9Storage / Treatment / Conveyance 10Storage / Treatment / Conveyance 11Storage / Treatment / Conveyance 12Storage / Treatment / Conveyance 12Storage / Treatment / Conveyance 13Storage / Treatment / Conveyance 14Storage / Treatment / Conveyance 15Storage / Treatment / Conveyance 16Storage / Treatment / Conveyance 17Storage / Treatment / Conveyance 18Storage / Treatment / Conveyance 19Storage / Treatment / Conveyance 19		
5 Storage / Treatment / Conveyance 6 Storage / Treatment / Conveyance 7 Storage / Treatment / Conveyance 8 Storage / Treatment / Conveyance 9 Storage / Treatment / Conveyance 10 Storage / Treatment / Conveyance 11 Storage / Treatment / Conveyance 12 Storage / Treatment / Conveyance Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
6Storage / Treatment / Conveyance 7Storage / Treatment / Conveyance 8Storage / Treatment / Conveyance 9Storage / Treatment / Conveyance 10Storage / Treatment / Conveyance 11Storage / Treatment / Conveyance 12Storage / Treatment / Conveyance Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing	4	
Storage / Treatment / Conveyance Storage / Treatment / Conveyance Treatment / Conveyance Storage / Treatment / Conveyance Treatment / Con	5	_ Storage / Treatment / Conveyance
8Storage / Treatment / Conveyance 9Storage / Treatment / Conveyance 10Storage / Treatment / Conveyance 11Storage / Treatment / Conveyance 12Storage / Treatment / Conveyance Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing	6	_ Storage / Treatment / Conveyance
9Storage / Treatment / Conveyance 10Storage / Treatment / Conveyance 11Storage / Treatment / Conveyance 12Storage / Treatment / Conveyance Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing	7	_ Storage / Treatment / Conveyance
10Storage / Treatment / Conveyance 11Storage / Treatment / Conveyance 12Storage / Treatment / Conveyance Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing	8	_ Storage / Treatment / Conveyance
11Storage / Treatment / Conveyance 12Storage / Treatment / Conveyance Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
25Storage / Treatment / Conveyance Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing	10	_ Storage / Treatment / Conveyance
Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment — a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
water although it may provide some treatment – a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing		
ask the Authors to add these component numbers to the map they are drawing		

A separate FORM 3 will be completed for EACH Storage Component listed above. A separate FORM 4 will be completed for EACH Treatment Component

FORM 2 Configuration Name: Performance

listed above. A separate FORM 5 will be completed for EACH Conveyance Component listed above. If a component is both Storage and Treatment, complete FORM 3 first and provide any missing information in Form 4. Similarly, if a component is both Treatment and Conveyance, complete FORM 4 first and provide any missing information in Form 5. If a component is both Storage and Conveyance, complete FORM 3 first and provide any missing information in Form 5. And Lastly, If a component is Storage, Treatment, and Conveyance, complete FORM 3 first, then provide any missing information in Form 4, and any remaining missing information in Form 5.

			Through	

The Authors should be able to generally describe how the water gets from the originating water source (for example, Lake Okeechobee) to the final destination of the water. As much as possible, the Authors should utilize the names of the components specified above and all of those specified components should be included in the description. If they do not have specific conveyance components defined, then the Evaluation Team will include the proper conveyance to follow the path they have described. For example, the description above may be "Water flows from Lake Okeechobee down the North New Miami River Canal, to Component No. 1 Flowway, discharges to a canal, enters Component No. 2 Stormwater Treatment Area, discharges into the Everglades." Or "Water flows from Kissimmee River to Component No. 3 Reservoir and to Lake Okeechobee." Then, the Evaluation team will add the conveyance components that fit the requirements of the other information provided by the Authors to insure the Configuration is functionally viable.

FORM 3	
Configuration Name:	

Summary Sheet of a Storage Component For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM* 3 for Each Storage Component Included in the Proposed Configuration. **Bold items required.**

Note - One of these forms is completed for **EACH** Storage Component as identified on FORM 2. This FORM 3 is to capture any additional specific information about the Storage Component not already provided in FORM 1 and ______ Configuration Name (from FORM 1): Performance Group_____ Component Number and Name (from FORM 2): 1, Indian Prairie Reservoir____ General Description of Storage Component: Reservoir with 200K ac-ft capacity. Encourage the Authors to be descriptive about the features of the component that matters most to them. Type of Storage: X Deep Shallow Dispersed _____ Storage Below Ground Elevation __X__ Storage Above Ground Elevation Deep Storage is generally over 4 feet water depth. Shallow Storage is generally less than 4 feet water depth. Dispersed Storage is generally water in wetlands, over natural lands, or flooded ranchlands.

Storage Below Ground Elevation is water level below surrounding ground surface such as a lake or in-ground reservoir. Storage Above Ground Elevation is water level above surrounding ground surface such as a reservoir. It is possible for a component to have both Below and Above Ground Storage such as a reservoir

FORM 3 Configuration Name:
excavated 4 feet below surrounding ground surface and water is able to be stored up to 6 feet above ground surface.
Check Most Important Feature(s) of Storage Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
X_ Volume – Provide volume required in ac-ft 200,000(Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
Total Acres of Land – Provide acreage (Facilitator will include acreage for component infrastructure as necessary
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed cost
Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the storage component must have 1 million ac-ft of storage, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.
General Component Location: (provide details on the required location of the component in addition to the information drawn on the map, examples — - anywhere north of Lake Okeechobee - only on US Sugar Lands west of L-19 Canal - any lands between L-19 Canal and New Miami River Canal)
List Counties: Likely to be in Glades County, needs to be in Indian Prairie region. Description: Should be consistent with Lake Okeechobee Watershed Project. Location influenced by land availability, cost and willing sellers.

FORM 3 Configur	ation Name:			
ensure to be sputilize to	additional information about a he component is sited at the pecific. If no additional inform he information shown on t ent to reduce costs and increa	desired locat mation provid the map an	tion. The Ai ded, the Ev	uthors do not need aluation Team will
General	Description of Storage Compo	onent Operat	tions:	
they ned always k	thors envision this component ed to describe that operation be above 2 feet so that it ne s wildlife in isolated pools".	n. For exa	mple, "wate	er elevation would
(check a	Most Important Operational Fall features that are critical to ation will be optimized for this	Authors; if n		
	Inflow Capacity – Provide inf (Facilitator will convert infor		•	
	Inflow Type – Select	_Gravity	Pump	Both
	Outflow Type – Select	Gravity	Pum	pBoth
	_ Ability To Go Dry – Select	Yes	No	No Preference
	_ Internal Cells – Select	Yes	_ No I	No Preference
lf v	es, how many cells?	Cells	l eave i	ın to ontimization

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the storage component must have only gravity inflow, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 3	
Configuration Name:	

Summary Sheet of a Storage Component For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate FORM 3 for Each Storage Component Included in the Proposed Configuration. **Bold items required.**

Note - One of these forms is completed for **EACH** Storage Component as identified on FORM 2. This FORM 3 is to capture any additional specific information about the Storage Component not already provided in FORM 1 and

______ Configuration Name (from FORM 1): Performance_____ Component Number and Name (from FORM 2): Component 2, South Reservoir General Description of Storage Component: Reservoir to provide 1.2M acft of storage. Encourage the Authors to be descriptive about the features of the component that matters most to them. Type of Storage: ____x____Deep _____ Shallow _____ Dispersed _____ Storage Below Ground Elevation __x_ Storage Above Ground Elevation Deep Storage is generally over 4 feet water depth. Shallow Storage is generally less than 4 feet water depth. Dispersed Storage is generally water in wetlands, over natural lands, or flooded ranchlands.

Storage Below Ground Elevation is water level below surrounding ground surface such as a lake or in-ground reservoir. Storage Above Ground Elevation is water level above surrounding ground surface such as a reservoir. It is possible for a component to have both Below and Above Ground Storage such as a reservoir

FORM 3 Configuration Name:
excavated 4 feet below surrounding ground surface and water is able to be stored up to 6 feet above ground surface.
Check Most Important Feature(s) of Storage Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
x Volume – Provide volume required in ac-ft 1.2M ac-ft (Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
Total Acres of Land – Provide acreage (Facilitator will include acreage for component infrastructure as necessary)
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed cost
Cost – Provide maximum allowed cost Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the storage component must have 1 million ac-ft of storage, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

List Counties: Likely to be Palm Beach or Hendry, but not specifically restricted_ Description: General siting options were between North New River and Miami Canals or Straddling the Miami Canal or west of Miami Canal. Avoid mills for cost reasons. Avoid populated areas. Concern expressed about how to flow water across US27/SR80 and expense of this undertaking.

Configuration Name:			
- <u></u>			·
Provide additional information about ensure the component is sited at the to be specific. If no additional information shown on component to reduce costs and incre	e desired loca rmation provi the map ai	tion. The hided, the E	Authors do not need valuation Team will
General Description of Storage Comp	oonent Opera	tions:	
If the Authors envision this componer they need to describe that operational always be above 2 feet so that it no and traps wildlife in isolated pools".	on. For exa	ample, "wa	ter elevation would
Check Most Important Operational (check all features that are critical to configuration will be optimized for this	Authors; if r		
Inflow Capacity – Provide in (Facilitator will convert info			
Inflow Type – Select	Gravity	Pum	p Both
Outflow Type – Select	Gravity _	Pu	mp Both
Ability To Go Dry – Select _	Yes _	No	No Preference
Internal Cells – Select			

FORM 3		
Configuration Name:		
If yes, how many cells?	Cells	Leave up to optimization

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the storage component must have only gravity inflow, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 4	
Configuration Name:	

Summary Sheet of a Treatment Component For Proposed Configuration

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM 4* for Each Treatment Component Included in the Proposed Configuration. **Bold items required.**

Note – One of these forms is completed for EACH Treatment Component as identified on FORM 2. This FORM 4 is to capture any additional specific information about the Treatment Component not already provided in FORM 1 and FORM 2.
Configuration Name (from FORM 1): Performance
Component Number and Name (from FORM 2): Talisman STA
Does Treatment Component Also Have a Primary Function as a Storage Component? Yesx No If yes, complete FORM 3 first and only add information not provided in FORM 3 to this FORM 4.
General Description of Treatment Component: Estimated to be 34,000 acres in size. The STA needs to be sized to treat peak flows anticipated without damage to the STA itself.

Encourage the Authors to be descriptive about the features of the component that matters most to them.

FORM 4
Configuration Name:
Type of Treatment (check all that apply): Mechanized like a Chemical Treatment Plant x Actively Managed like a Stormwater Treatment Area Minimally Managed like a Wetlands Passively Managed like Natural Lands
Have the Authors check which of the above best describes the treatment component. This is especially important if they have defined a treatment component unlike anything we have experience with – checking one or more of the above will help in understanding what it is similar to.
Check Most Important Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):
Volume of Water to be Treated – Provide volume in ac-ft (Facilitator will convert information to ac-ft as necessary)
Water Depth – Provide depth in feet
Total Acres of Land – Provide acreage (Facilitator will include acreage for component infrastructure as necessary
Ability to Meet A Specific Performance Measure (PM) / Indicator (I) PM / I: Percentage
Additional PM / I Information:
Cost – Provide maximum allowed cost
Only the features above that are critical to the Authors should be checked. It is

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the treatment component must be on 40,000 acres of land, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.

FORM 4 Configuration Name:
<u> </u>
General Component Location: (provide details on the required location of the component in addition to the information drawn on the map, examples — - anywhere north of Lake Okeechobee - only on US Sugar Lands west of L-19 Canal - any lands between L-19 Canal and New Miami River Canal)
List Counties: Likely to be Palm Beach or Hendry Description: Needs to be south of reservoir and adjacent to WCAs.
Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.
General Description of Treatment Component Operations: Sized to not be damaged by peak flows.
If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "natural un-recruited

If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "natural un-recruited vegetation in the flowway will serve as the treatment component to obtain the required water quality for the Everglades".

FORM 4	
Configuration Name: _	
_	

Check Most Important Operational Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):

Reliability of Treatment Cor Treatment Area	•	•	a Stormwater
Inflow Capacity – Provide in (Facilitator will convert info		•	
Inflow Type – Select	Gravity	Pump	Both
Outflow Type – Select	Gravity _	Pump_	Both
Ability To Go Dry – Select _	Yes _	No	_ No Preference
Internal Cells – Select	Yes	_ No No	Preference
If yes, how many cells?	Cells		

Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the inflow capacity is 1,000 cfs, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.